

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


62.97

1932

North Wisconsin Wildlings

From

The Green Grassy Hollow



F. G. Knowlton

Barksdale, Wis., U .S. A.



8-4027

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postage or express extra about 10% in America.
To England P. P. 5c per oz.
Five at 10 rate and 50 at 100 rate.
Cash with orders.

Am continually finding new items and would be glad of your want list. Can do many items from outside dealers in wild flowers.

Will be glad to collect seed of plants listed (where procurable) but orders must be placed early for fall shipment, price 15 cents per packet.

New state laws prohibit the collecting of many natives and I have been obliged to either raise the price or cut some off the list.

	Per 10	Per 100
Actaea alba, White baneberry-----	\$2.00	\$10.00
1 to 2 ft. silt loam. 1-2 shade.		
Actaea rubra, Red baneberry-----	1.25	6.00
Same conditions as above.		
Actaea rubra var alba-----	2.00	10.00
White berry form of above.		
Agastache foeniculum-----	1.25	6.00
4 ft. open garden.		
Alisma plantago aquatica water plantain-----	1.00	5.00
1 to 2 ft. 1 to 2 in. water muck bottom, full sun white		
Allionia hirsuta—4 o'clock-----	1.00	5.00
18 to 24 in.—Sand loam sun.		
Allium Stellatum Prairie wild onion-----	.20	each
12 to 15 in. sand loam well drained—pink.		
Allium tricoccum wood leek-----	1.00	5.00
8 to 15 in. moist silt loam 1-2 shade white		
Amorpha canescens—Lead plant-----	.20	each
1 to 3 ft. well drained sand loam—sun purple and gold.		
Anaphalis Margaritacea—Pearly everlasting---	1.00	5.00
12 in. well drained sand loam—sun white.		
Anemone Canadensis—Meadow anemone -----	1.25	6.00
8 to 12 in. moist low land—sun good white.		
Anemone quinquefolia—Wood anemone-----	1.00	5.00
2 to 4 in. loam shade—white, pink with age.		
Antennaria dioica—Pussy toes-----	1.00	5.00
4 to 6 in. well drained sand loam sun—creamy white.		
Apocynum androsaemifolium—Spreading		
Dogbane-----	1.50	7.50
1 to 2 ft. well drained sand loam sun—pink bells.		
Aquilegia Canadensis—Wild Columbine-----	1.00	5.00
2 ft. moist sand loam 1-2 shade—red and yellow.		
Aquilegia coerulea—Rocky Mountain		
Columbine-----	.20	each
2 ft. moist loam ground shade.		
Aralia hispida—Bristly sarsaparilla-----	.15	each
1 1-2 to 2 ft. well drained sand loam sun.		
Aralia racemosa—Spikenard-----	.20	each
2 to 3 ft. moist Sand loam 1-2 shade.		
Arethusa bulbosa—Indian pink-----	.25	each
6 to 10 in. bog sphagnum sun or 1-2 shade.		
Arismema triphyllum—Jack in the pulpit-----	1.00	5.00
12 to 16 in. moist mucky loam shade.		
Asarum Canadensis—Wild ginger-----	1.00	5.00
3 to 6 in. moist sand loam shade.		
Asclepias incarnata—Swamp milkweed-----	1.25	6.00
2 to 4 ft. moist loam sun—rose purple.		
Asclepias tuberosa—butterfly weed-----	1.25	6.00
1 1-2 to 2 ft. well drained sand loam.		
Asters laevis—smooth aster-----	1.00	5.00
1 1-2 to 2 ft. dry sand loam sun. Blue.		

Aster macrophyllus—large leaved.....	1.00	5.00
1 1-2 to 2 ft. Upland woods, loam. Violet.		
Aster ptarmicoides—upland white.....	1.00	5.00
12 in. sand loam, good drainage, sun.		
Aster puniceus var Firmus—swamp aster.....	1.25	6.00
2 to 3 ft. swamp border.		
Aster Salicifolius—willow leaved.....	1.00	5.00
2 to 3 ft. small flower, white.		
Aster umbellatus.....	1.00	5.00
2 to 3 ft. moist thickets, white		
Astragalus Alpina.....	each .25	
6 to 8 in. Sand loam—sun—fair drainage		
Calla palustris—Wild calla.....	1.00	5.00
2 to 6 in. of water muck bottom.		
Caltha palustris. Marshmarigold.....	1.00	5.00
6 to 12 in. Edge of streams and springs.		
Campanula rotundifolia. Hairbell.....	1.25	6.00
12 in. Well drained sand loam—sun.		
Caulophyllum thalictroides Blue cohosh.....	1.50	7.00
1 to 2 ft. Silt loam moist—1-2 shade.		
Chelone glabra—White turtle head.....	1.25	6.00
18 to 24 in. Moist silt loam—sun or 1-2 shade.		
Chimaphila umbellata. Pipsessewa.....	1.25	6.00
4 to 6 in. Sand loam. Good drainage. 1-2 shade		
Chiogenes hispidula. Snowberry.....	1.00	5.00
1 to 2 in. creeper—Sphagnum bogs. 1-2 shade		
Cichorium intybus chicory.....	1.25	6.00
2 to 4 ft.—Good blue open garden		
Claytonia caroliniana Spring beauty.....	2.00	10.00
4 to 6 Low land sandy loam shade		
Claytonia virginica Spring beauty.....	1.00	5.00
same as above.		
Clematis virginica Virgins bower.....	2.50	12.00
6 to 20 ft. climber—low land loam white flowers		
Clematis verticillaris Purple virgins bower.....	25c each	
10 to 20 ft. climber rocky slopes. 1-2 shade		
Clintonia borealis—Blue bead.....	1.00	5.00
6 to 10 in. sand loam shade. Yellow flower.		
Convolvulus sepium. Hedge bind weed.....	1.00	5.00
Dwarf creeper—well drained—ground cover.		
Convolvulus spithameus.....	1.00	5.00
Sunny dry rocky soil—white flower.		
Coptis trifolia. Gold thread.....	1.00	5.00
2 to 4 in. shady sand loam—moist.		
Cornus canadensis. Bunch berry.....	1.00	5.00
4 to 6 in. sand loam shade or sun.		
Corydalis sempervirens. Pale corydalis.....	1.00	5.00
1 to 3 ft. Sand loam. Open garden.		
Cypripedium acaule, Pink moccasin flower.....	2.50	8.00
8 to 12 in. Jack pine woods-moist sand loam-shade		
Cypripedium parviflorum. Small yellow.....	3.00	12.00
8 to 12 in. Heavy retentive soil-moist-shade		

Cypripedium spectabile. Showy lady slipper_	3.50	16.00
8 to 16 in. Heavy retentive moist soil-shade		
Cypripedium sold by the bud.		
Dentaria diphylla, Crinkley root-----	1.00	5.00
6 in. River bottoms-silt or sand loam-shade		
Dentaria laciniata. Cut toothwort-----	1.00	5.00
6 in. Same as above.		
Desmodium canadense, Canadian tick trefoil-----	.20	each
1 1-2 to 2 ft. Sand loam-open garden.		
Dicentra formosa ^{var. calycosa} , Dutchman's breeches-----	1.00	5.00
4 to 10 in. River bottoms. Silt and sand loam-shade.		
Drosera rotundifolia, Sun dew-----	1.00	5.00
4 to 10 in. Sphagnum bog-wet sand.		
Epigaea repens, trailing arbutus-----	2.50	12.00
Small plants only-large plants can't be moved.		
2 to 4 in. Sand loam-under pines-good drainage.		
Epilobium angustifolia, fireweed-----	1.25	6.00
2 to 4 ft. Sand loam-full sun-likes potash.		
Erigeron glabellus, Rough erigeron-----	1.25	6.00
12 in. Very good-sand loam-open garden.		
Erigeron Philadelphicus, Philadelphia fleabane.		
1 1-2 to 3 ft. Woods and fields Light soil.		
Erythronium americanum, Trout Lily-----	1.00	5.00
4 to 6 in. low land sand or silt loam 1-2 shade.		
Eupatorium purpureum, Joe Pye Weed-----	1.25	6.00
3 ft. Moist river bottoms loam, sun.		
Galium boreale, Northern bed straw-----	1.00	5.00
12 to 18 in. Well drained soil. sun.		
Gaultheria procumbens, Wintergreen berry---	1.00	5.00
4 in. Well drained sand loam, Sun or shade.		
Gentian Andrewsii, Closed gentian-----	2.00	7.00
12 18 in. Moist low land sun 1-2 shade.		
Gentian anerewsii ^{Andrewsii} alba, white variety-----	.25c	each
Gentian linearis latifolia, Grey's gentian-----	.20c	each
12 to 18 in. Moist to wet peat loam sun.		
Geranium maculatum, wild cranes bill.		
12 to 18 in. Moist low land. 1 2 shade.		
Goodyera decipiens, Meznie's Rattle snake		
plantain-----	2.00	10.00
8 to 15 in. Moist leaf mould, woods.		
Goodyera pubescens, Downy plantain-----	2.00	10.00
6 to 20 in. Dry woods, Hardwood, leaf mould.		
Goodyera repens. Var ophioides lesser		
plantain-----	3.00	15.00
5 to 10 in. Moist leaf mould and shady sphagnum hummocks.		
Goodyera tessellata loddiges. plantain-----	3.00	15.00
6 to 12 in. Moist pine woods.		
Habenaria bracteata, Long bracked orchis-----	.25c	each
6 to 24 in. Green. Woods leaf mold and sand		
Habenaria clavellata, Green wood orchis-----	.20c	each
6 to 18 in. Sphagnum bog and edge of marsh		

<i>Habenaria hookerii</i> , Hookerii orchid.....	25c each	
8 to 15 in. Jack pine woods, sand loam		
<i>Habenaria hyperborea</i> , tall green orchid.....	3.00	15.00
8 to 36 in. Bog and wet woods		
<i>Habenaria orbiculata</i> , round leaved orchid.....	50c each	
12 to 24 in. Rich woods, moist loam		
<i>Habenaria psycodes</i> , purple fringed orchid.....	3.00	15.00
12 to 36 in. Moist woods and swamps		
<i>Helenium autumnale</i> , sneezeweed.....	1.25	6.00
12 to 18 in. Open garden loam		
<i>Heliopsis scabra</i> , Rough ox-eye.....	1.25	6.00
24 to 36 in. Open garden, full sun, fine for border		
<i>Hepatica acutiloba</i> , Acute leaved liverwort....	1.25	6.00
4 to 6 in. Moist leaf loam, woodsy shade		
<i>Hepatica triloba</i> , Round leaved liverwort.....	1.00	5.00
4 to 6 in. Moist leaf loam, woodsy shade		
<i>Heuchera americana</i> , Alum root.....	1.50	8.00
12 to 18 in. Well drained sand loam, sun or shade		
<i>Hieracium paniculatum</i> , Canadian hawkweed..._	1.00	5.00
8 to 12 in. Well drained, sand loam, sun or 1-2 shade		
<i>Hypericum ascyron</i> Great St. John's wort.....	1.25	6.00
2 to 6 ft. River banks, moist silt loam		
<i>Houstonia longifolia</i> , long leaved.....	1.50	8.00
4 to 6 in. Well drained, sand loam, sun		
<i>Iris versicolor</i> , Blueflag iris	1.00	5.00
18 to 24 in. Wet border of marshes, sun or 1-2 shade		
<i>Iris lacustris</i> , Dwarf lake iris.....	1.50	
2 to 4 in. Sandy lake shores		
<i>Isopyrum biternatum</i> , False rue anemone	1.50	7.00
4 to 6 in. Moist low land loam, 1-2 shade.		
<i>Lathyrus maritimus</i> , Beach pea.....	1.25	9.00
18 to 24 in. Sand loam, sun		
<i>Lepachy pinnata</i> , Prairie cone flower	1.25	6.00
3 to 5 ft. Sand loam, sun.		
<i>Liatris scariosa</i> , Blazing star	1.00	5.00
18 to 24 in. Well drained sand loam, sun.		
<i>Lilium michiganense</i> , Western Turk's cap....	2.50	15.00
2 to 4 ft. Moist meadows, sun or 1-2 shade.		
<i>Lilium philadelphicum</i> var <i>andinum</i> , wood lily_	2.50	15.00
12 to 18 in. Well drained loam, ground shade		
<i>Linnaea borealis</i> var <i>americana</i> , Twin flower..	1.00	5.00
4 to 6 in. Woodsy loam, 1-2 shade		
<i>Liparis lilifolia</i> , Large twayblade	1.50	7.00
4 to 10 in. moist peaty soil, shade.		
<i>Liparis loeselii</i> , Loesel's twayblade.....	20c each	
4 to 8 in. moist peaty soil, shade.		
<i>Listera auriculata</i> , Auricled twayblade	20c each	
4 to 7 in. moist peaty soil, shade,		
<i>Lithospermum canescens</i> , Hoary pucoon	1.00	5.00
6 to 12 in. well drained sand loam, shade or 1-2 shade		
<i>Lithospermum gmelini</i> , Indian pucoon	1.50	
6 to 12 in. well drained sand loam, sun or 1-2 shade		

<i>Lobelia syphitilica</i> , Great blue lobelia -----	1.50	7.00
24 to 36 in. moist low land, sun or shade		
<i>Lysimachia quadrifolia</i> , Whorled loosestrife ---	1.25	6.00
6 to 12 in. wet or dry loam, sun or shade		
<i>Lysimachia thyrsoiflora</i> water loose strife-----	1.50	7.00
12 to 18 in. Wet muck Swamps—Sun.		
<i>Maianthemum Canadense</i> Canadian May flower	1.00	5.00
4 to 6 in. Well drained sand loam shade or sun		
<i>Malva moschata</i> Musk mallow -----	1.50	7.00
12 to 24 in. Open garden—Can supply pink or white		
<i>Menyanthes trifoliata</i> Bog bean-----	1.50	7.00
8 to 12 in. in 6 in. water muck bottom sun.		
<i>Mertensia paniculata</i> Tall Lungwort-----	1.50	8.00
12 in. Moist silt or loam—shade—very good		
<i>Microstylis uniflora</i> Green adders mouth-----	2.00	10.00
6 in. moist well drained loam woodsy shade		
<i>Mimulus ringens</i> Monkey flower -----	2.00	10.00
10 to 14 in. Wet muck or loam—edge of swamps—sun		
<i>Mitchella repens</i> Partridge berry-----	1.00	5.00
2 to 4 in. Creeper woodsy sand loam.		
<i>Mitella diphylla</i> Common bishop cap-----	1.00	5.00
8 to 12 in. Moist silt or loam-shade-river bottom.		
<i>Monarda fistulosa</i> wild bergermot -----	1.00	5.00
18 to 36 in. Dry sand loam 1-2 shade or full sun.		
<i>Myosotis arvensis</i> Field mouse ear-----	1.00	5.00
6 to 12 in. moist loam 1-2 shade or full sun.		
<i>Nepeta hederacea</i> Gill over the ground.-----	1.00	5.00
3 to 6 in. A rampant creeper. Moist river bottoms.		
<i>Nymphaea odorata</i> . American white water lily--	2.00	10.00
Plant in 3 to 6 ft. water-muck bottom.		
<i>Nymphaea advena</i> Spatterdock-yellow pond		
lily-----	2.00	10.00
Plant in 1 to 2 ft. water-muck bottom.		
<i>Oenothera biennis</i> Evening primrose-----	1.00	5.00
3 to 5 ft. Well drained sand loam-sun		
<i>Oenothera fruticosa</i> . Large sun drops-----	1.00	5.00
12 to 15 in Sand loam. Open garden.		
<i>Oenothera pumila</i> . Small sun drop -----	1.00	5.00
12 to 15 in. More moisture than fruticosa.		
<i>Oakesia sessilifolia</i> . Small bell-wort-----	1.00	5.00
8 to 12 in. Well drained sand loam—Sun or shade.		
<i>Oxalis acetosella</i> . Wood Sorrell-white-----	1.25	6.00
6 in. Moist acid sand loam-shade		
<i>Oxalis corniculata</i> . Creeping oxalis-yellow-----	1.00	5.00
6 to 10 in. Moist sand loam-shade.		
<i>Panax trifolium</i> Ground nut-----	1.50	7.00
6 to 8 in. Moist lowland loam-shade.		
<i>Pedicularis canadensis</i> . Early wood petony----	1.25	6.00
12 in. Well drained sand loam 1-2 shade.		
<i>Petalostemum candidum</i> . White prairie		
clover-----	1.50	7.00
12 to 24 in. Well drained sand loam-sun.		

Petalostemum purpureum. Purple prairie clover	1.50	7.00
18 to 36 in. Well drained land loam-sun.		
Petasites palmatus. Sweet coltsfoot.....	1.50	7.00
Phlox pilosa. Downy phlox.....	1.00	5.00
6 to 12 in. Well drained sand loam-sun.		
12 in. — Woods-swamp edge-1-2 shade.		
Physostegia virginiana, False dragon-head.....	1.25	6.00
18 to 24 in. Moist loam —sun or 1-2 shade		
Pogonia ophioglossoides—Snake-mouth.....	25c each	
6 to 8 in. Sphagnum moss in open bogs		
Polemonium reptans Jacobs ladder.....	1.00	5.00
12 in' Sand loam—open garden.		
Polygala paucifolia Fringed polygala.....	1.50	7.00
6 in. Rich well drained sand loam - shade .		
Polygala polygama Milkwood polygala.....	2.00	10.00
4 in. moist but well drained sand loam - sun		
Polygonatum biflorum small solomon seal.....	1.25	6.00
8 to 12 in. Moist loam - low land shade		
Pontederia cordata Pickerelweed.....	1.50	7.00
18 in. Plant in 6 in. water muck bottom		
Potentilla palustris purple cinquefoil	1.50	7.00
18 in. Wet muck edge of swamps.		
Potentilla tridentaea three toothed cinquefoil....	1.00	5.00
6 to 8 in. Well drained sand loam - good rock plant.		
Prunella vulgaris. Self heal or heal all.....	1.00	5.00
6 to 8 in. Lowland river bottoms. Sand loam-sun.		
Pyrola Elliptica. Shin leaf.....	1.00	5.00
8 to 12 in. Drained, but moist sand loam 1-2 shade.		
Pyrola rotundifolia. Round leaved.....	1.00	5.00
8 to 12 in. Same conditions as above		
Pyrola secunda. Sideball pyrola.....	1.00	5.00
6 to 8 in. Same as above.		
Radricula nasturtium aquaticum.....	1.00	5.00
6 to 8 in. Best in cold spring water-sun.		
Ranunculus acris. Field buttercup.....	1.00	5.00
18 in. Upland loam-full sun.		
Ranunculus septentrionalis Swamp buttercup....	1.00	5.00
18 to 24 in. Moist to wet loam - sun or 1-2 shade		
Rubus parviflorus Salmon berry.....	1.00	5.00
18 to 24 in. Good in open garden - full sun or 1-2 shade		
Rudbeckia hirta Black eyed Susan.....	1.00	5.00
18 to 24 in. Dry sand loam - sun.		
Rudbeckia laciniata Cut leaf coneflower	1.25	6.00
2 to 5 ft. Most loam, low land - sun		
Sagina procumbens - Pearlwort	1.00	5.00
3 in. - open garden full sun - Stepping stone moss		
Sagittaria Sagittifolia Arrow-head.....	1.00	5.00
6 to 24 in. 6 in. water muck bottom.		
Sanguinaria canadensis Blood Root.....	1.00	5.00
6 to 12 in. Moist sand loam shade		

<i>Sarracenia purpurea</i> - Picture plant.....	1.50	7.00
12 to 18 in. Swamps In sphagnum moss.		
<i>Sisyrinchium angustifolia</i> Blue eyed grass.....	1.00	5.00
6 to 10 in. Any soil any position		
<i>Sisyrinchium gramineum</i> . Purple -	1.00	5.00
8 to 12 in. Sandy loam - sun		
<i>Smilacina racemosa</i> False solomonseal.....	1.25	6.00
18 to 24 in. Well drained sand loam sun or 1-2 shade		
<i>Smilacina stellata</i> starry false solomonseal.....	1.00	5.00
8 to 12 in. Moist silt loam 1-2 shade		
<i>Smilacina trifolia</i> Three leaved solomanseal....	1.00	5.00
4 to 6 in. Bog wet mucky soil, sun or 1-2 shade		
<i>Smilax herbacea</i> Carrion flower.....	1.50	7.00
12 to 36 in. Moist low land silt loam.		
<i>Spiranthes gracilis</i> Slender ladiestress.....	2.00	12.00
8 to 12 in. Well drained sand loam, 1-2 shade		
<i>Spiranthes romanzoffiana</i> , Large ladiestress....	2.00	12.00
6 to 10 in. Same as above.		
<i>Steironema ciliatum</i> , Fringed loosestrife.....	1.00 to	5.00
12 to 24 in. Moist low land, sand loam, sun.		
<i>Streptopus longipes</i> , twisted, stalk	1.25	6.00
10 to 12 in. Moist woodsy loam		
<i>Symplocarpus foetidus</i> , Skunk cabbage.....	3.00	20.00
12 in. Wet mucky low land, shade or sun.		
<i>Thalictrum dioicum</i> , Early meadow-rue.....	1.25	6.00
12 to 18 in Moist low land loam, 1-2 shade.		
<i>Thalictrum polygamum</i> , Tallrue.....	1.25	6.00
2 to 5 ft. Moist low land__sand loam__1-2 shade.		
<i>Trientalis americana</i> , Starflower	1.00	5.00
6 to 8 Moist woodsy loam__shade		
<i>Trillium cernuum</i> Nodding trillium.....	1.50	7.50
12 in. Moist low land, sand loam__1-2 shade		
<i>Trillium grandiflora</i> , Large flower, wake-robin. 1.00		5.00
12 to 16 in. Moist woodsy upland loam.		
<i>Triosteum perfoliatum</i> , Horse gentian.....	1.50	
24 in Moist low land , sand loam__sun or 1-2 shade		
<i>Uvularia grandiflora</i> Large marry bell	1.25	6.00
12 to 16 in. Well drained sand loam__sun or shade		
<i>Verbena hasta</i> Blue verbena.....	2.00	10.00
2 to 4 ft. Moist low sand loam__sun		
<i>Verbena stricta</i> Hoary vervain.....	2.00	10.00
18 to 36 Well drained sand loam__sun__good		
<i>Viola adunca</i> Sand barren violet__Light.....	1.00	5.00
4 to 6 in. Well drained sand loam__sun or 1-2 shade.		
<i>Viola cucullata</i> x <i>sororia</i> hybrid white.....	2.00	10.00
6 to 8 in. Moist sand loam, shade.		
<i>Viola incognita</i> , small white.....	1.00	5.00
3 to 4 in. Moist sand loam, shade.		
<i>Viola lanceolata</i> . small white.....	1.00	5.00
6 in. Moist to wet loam, sun.		


<i>Viola pedata</i> , Birdsfoot violet,-----	1.00	5.00
6 in. Well drained sand loam, sun.		
<i>Viola papilionacea</i> , Butterfly violet, large blue.---	1.00	5.00
6 to 8 in. Moist loam, 1-2 shade		
<i>Viola primulifolia</i> Large white.-----	1.00	5.00
6 in. Wet to moist sand loam__sun.		
<i>Viola pubescens</i> , Downy yellow violet-----	1.00	5.00
6 to 10 in. Moist low land - loam		
<i>Viola pubescens</i> var <i>peckie</i> __similar to above__	1.00	5.00
6 to 10 in. Moist woods__shade.		
<i>Viola selkirkii</i> . Early blue-----	1.00	5.00
4 to 6 in. Moist in blooming season.		
<i>Viola septentrionalis</i> x <i>Emarginata</i> -----	1.50	7.00
4 to 6 in. Moist woods__sand loam.		
<i>Waldsteinia frogarioides</i> , Barren strawberry__	1.00	5.00
6 in. Moist or dry sand loam. 1-2 shade.		
<i>Zizia cordata</i> , Golden alexander-----	1.50	7.00
10 to 12 in. Well drained sand loam__sun		

NATIVE FERNS

<i>Adiantum pedatum</i> , Maiden hair fern-----	1.00	8.00
<i>Aspidium cristatum</i> , Creseed shield field-----	1.00	8.00
<i>Aspidium fragrane</i> , Fragrant fern-----	50c	each
<i>Aspidium marginale</i> , Marginal fern-----	1.50	10.00
<i>Aspidium spinulosum</i> , Spinulose shield fern----	1.00	7.00
<i>Aspidium thelypteris</i> , Marsh fern-----	1.00	7.00
<i>Asplenium acrostichordis</i> , Silvery spleenwork --	1.50	10.00
<i>Asplenium trichomanes</i> , Maiden hair spleenwort	2.00	15.00
<i>Athyrium filix femina</i> (<i>Asplenium</i>) Lady fern--	1.00	8.00
<i>Botrychium ternatum</i> var <i>intermedia</i> , Grape fern.	1.50	10.00
<i>Botrychium ramosum</i> , Matricary grape fern-----	25c	each
<i>Botrychium virginianum</i> Rattlesnake fern-----	1.50	10.00
<i>Cystopteris bulbifera</i> Bladder fern-----	.80	7.00
<i>Cystopteris fragilis</i> Fragile fern-----	.80	7.00
<i>Onoclea Sensibilis</i> sensitive fern-----	.80	7.00
<i>Onoclea Strubtopteris</i> Ostritch fern-----	.80	7.00
<i>Ophioglossum vulgatum</i> Adder's tongue-----	25c	each
<i>Osmunda cinnamomea</i> Cinnamon fern-----	1.50	12.00
<i>Osmunda claytonia</i> Interrupted fern-----	1.50	12.00
<i>Osmunda regalis</i> Royal fern-----	1.50	12.00
<i>Phegopteris dryopteris</i> Oak fern-----	.80	7.00
<i>Phegopteris polypodioides</i> Long Beach fern----	.80	7.00
<i>Polypodium virginiana</i> Polypody fern-----	1.00	8.00
<i>Polystichum Braunii</i> Braun's Holly fern --small	25c	each
large	50c	each
<i>Pteridium aquilinum</i> Brake or Braken fern ----	.75	6.00
<i>Woodsia ilvensis</i> Rusty woodsia-----	1.00	8.00

GARDEN AND ROCK PLANTS NOT NATIVE HERE

Bellis perennis, Dwarf daisy for the rockgarden	1.50	
Dianthus deltoides, rockgarden	1.50	
Iris lacustris, Lake dwarf iris	1.50	
Iris pumila atrovioleacea, dwarf	1.50	
Iris virginiana, open garden	1.50	
Linum lewisii, pale blue	1.50	
Linum muellerii, blue to white	1.00	
Linum perenne, blue	1.00	
Lychnis alpine, rock garden	1.00	
Lychnis chalcedonica, red flower	1.25	
Lychnis coronaria, mullein pink	1.00	
Malva moschata, pink or white	1.00	
Mertensia virginica, blue bells	1.25	
Pentstemon grandiflorus	1.50	
Phlox subulata, pink, ground cover	1.00	
Platycodon mariesii, Japanese bell flower	1.25	
Sagina glabra, Stepping stone moss	1.00	5.00
Sedum acre	1.00	
Sedum album	1.00	
Sedum hispanicum	1.25	
Sedum ibericum	1.00	
Sedum kamschaticum	1.00	
Sedum lydium	1.00	
Sedum meddendoriana	1.25	
Sedum sarmentosa	1.00	
Sedum stolonifera	1.00	
Sedum sexangulare	1.00	
Sedum spurium	1.00	
Sempervivum fimbriatum	1.25	
Sempervivum tectorum	1.00	
Silene orientalis	1.00	
Talinum teretifolium	1.50	
Thymus serpyllum coccineum	1.00	
Tradescantia virginiana	1.00	



Other dealers in Wildlings:

W. A. Bridwell, Forestburg, Texas

F. W. Campbell. 7521 Dunedin St. Detroit, Mich

Mrs. F. M. Heath, Grand Forks, North Dakota

Mrs. Albert Obergfell, Sidney, Montana

D. W. Snowberger, Payette, Idaho

The best book on Wildlings I know of is —Field Book
of American Wild Flowers—By F. Schuyler Mathews
Published by G. P. Putnam's Co., New York, City.